

Gas Meters:

Meter Type


Domestic: Front mount index

Industrial: Top mount index

RegistRead for gas meters is for test dial, at 2 pulses/revolution.

Part # has suffix "-2P".

For 10 pulses/revolution, as for end use metering on high resolution dial, us "-10P" suffix.



American Meter and Canadian Meter (all index types)

Meter Type

Part

Domestic

RD AMRC-2P

Industrial

RD AMRC-2P



This photo is a Commercial Equimeter.

**Rockwell/Equimeter Commercial/Industrial Units:
Require RIOTronics Corp. #MC816 modified index cover.**

Rockwell/Equimeter

Meter Type	Part #
Domestic Brass Index	RD RCBR-2P
Domestic Plastic Index	RD 5053-2P
Domestic Plastic Direct Read	RD 44-2P
Equimeter Commercial	RD 41-2P

Modified domestic index Equimeter part #00163-538-83 allows for an easier installation process of the *RegistRead*.

Sprague/Schlumberger

Meter Type	Part #
Brass	RD 41-2P
Plastic	RD SPRG-2P

National

Meter Type	Part #
All Index Types	RD 35-2P

The Remote Consumption Display

Ideal for on-site remote meter reading!

RIOTronics manufactures a remote meter display. The **LCD9205** (Remote Consumption Display) connects to most meters to provide remote consumption display data, in conjunction with a Form A contact, such as RIOTronics' **RegistRead** retro-fitted meter pulse device.

Features



- Five digit remote display
- 3 Long Life (Up to 10+ years) AA lithium batteries
- Will connect up to 5000' away from host meter
- Operable from 40 degrees (F) below to 185 degrees above (F) zero
- NEMA4 case for outdoor use
- Mfg. supplied pulse value factoring
- Direct mounting through faceplate

Options

- Portable setting box **LCD000A** allows reset of the display to match host meter
- Outdoor gel filled wire connectors
- Meter (hook-up) wire - UV protected
- Zero Reset Button
- 100:1 and 20:1 counting options for gas meter test dial inputs Part#'s **LCD9205-100:1**; **LCD9205-20:1**



Benefits

- Efficient** Provides consumption display for remote meters.
- Accessible** Gets you past the dogs, fences and basements.
- Intelligent** Utilized with RegistRead, connects to most gas and electric meters.
- Variable** Connects to meters up to 5000 feet away.
- Flexible** Preset the display to match your host meter.
- Adaptable** Great for rural areas, group reads, hard to access areas.
- Economical** Group readings in one central location.
- Affordable** Price breaks available for quantity purchases!